



SPECIMEN LABELS/MATERIAL SAFETY DATA SHEETS

ROACH BAIT STATIONS

FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS

ACTIVE INGREDIENT:

Fipronil [5-amino-1-(2,6-dichloro-4-(trifluoromethyl) phenyl)-4-(1,R,S)-(trifluoromethyl) sulfinyl)-1H-pyrazole-3-carbonitrile]: 0.05%

Inert Ingredients: 99.95%

TOTAL: 100.00%

CONTAINS: 72 Child-Resistant Bait Stations

KEEP OUT OF REACH OF CHILDREN

CAUTION: SEE PRECAUTIONS BELOW

MAXFORCE® FC Roach Bait Stations may be used for the control of small cockroaches, such as German or Brown-Banded roaches, in any area where cockroaches are a problem, such as residential, warehousing and commercial establishments, including food service, food manufacturing and food processing facilities, hospitals, nursing homes, schools, daycare centers, health care facilities, aircraft, basements, laboratories, computer and electronic equipment facilities, pet shops, zoos, buses, boats and trains. MAXFORCE® FC roach bait stations have an odorless bait that roaches eat even in the presence of other foods and is packaged in a child-resistant bait station. The patented transparent red top enables you to monitor bait consumption while providing roaches their preferred environment, darkness, because roaches do not see light in the red spectrum.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

Caution: Wash thoroughly with soap and water after handling bait stations.

In case of emergency, call day or night, 1-800-426-6228.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage and disposal. **STORAGE:** Store in a cool dry area out of reach of children. **DISPOSAL:** Wrap bait stations in several layers of newspaper and discard in trash.

Maxforce website address: www.maxforce.com

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Place MAXFORCE® FC in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations.
2. The bait stations can be stuck to a vertical surface by peeling off the protective strip to expose adhesive.
3. For effective roach control use 4-6 bait stations per 100 square feet of horizontal surface area. Place adjacent to walls and flush in corners. Do not place more than 24 bait stations per residence. For outdoor use place stations adjacent to structure.
4. Do not spray the bait stations. Avoid placing the bait stations on freshly sprayed surfaces.
5. Roaches will begin eating the bait immediately and you should expect to see fewer roaches within 3 days.
6. Inspect all bait stations and replace as needed for continuous control of roaches.

TOTAL NET WEIGHT

3.8 oz (108 g)

0.053 oz (1.5 g) per unit

Distributed by and © 1997
Maxforce
1221 Broadway
Oakland, CA 94612

EPA Reg. No. 64248-11
Oakland, CA 94612

EPA Est. No. 5813-MS-01
Product Code No. 48000

U.S. Patent Nos. 4,353,907; DES 278,842; 4,563,836; 5,271,180 and other patents pending.

Copyright 1998 The Clorox Company.
All rights reserved.

[Top of Page](#) | [Home Page](#)